



# GA15P/GA12P PROFESSIONAL SERIES DESIGNED IN HOLLYWOOD HI DEFINITION SPEAKER



GA15P




GA12P

## KEY FEATURES & TECHNICAL PARAMETERS

GA15P	GA12P
15" ACTIVE SPEAKER	12" ACTIVE SPEAKER
1.75" V.C DRIVER	1.75" V.C DRIVER
CLASS D AMPLIFIER	CLASS D AMPLIFIER
5 DSP PRESETS	5 DSP PRESETS
BLUETOOTH INTEGRATED	BLUETOOTH INTEGRATED
TWS CONNECTIVITY	TWS CONNECTIVITY
RMS POWER 600 W	RMS POWER 600 W
MAX POWER 1200 W	MAX POWER 1200 W
MAX SPL RATING 127 dB	MAX SPL RATING 126 dB
INPUT VOLTAGE 90 - 240V AC	INPUT VOLTAGE 90 - 240V AC
FREQUENCY RESPONSE 45Hz-19KHz	FREQUENCY RESPONSE 72Hz-19KHz
PRODUCT DIMENSIONS 16.3" x 16.1" x 28.1" / 41,5 x 41 x 71,5 cm	PRODUCT DIMENSIONS 14.1" x 13.7" x 24.2" / 36 x 35 x 61,5 cm
NET WEIGHT 55 lb / 25 kg	NET WEIGHT 39 lb / 18 kg

### BACK PANEL




### FUNCTIONS EXPLANATION

- 1 USB SERVICE / PC SOFTWARE PORT
- 2 BLUETOOTH & TWS SWITCH
- 3 DSP KNOB CONTROL
- 4 AUDIO LINE INPUT A
- 5 VOLUME CONTROL FOR INPUT A AND BLUETOOTH
- 6 MIX AUDIO OUT
- 7 AUDIO / MICROPHONE AUDIO INPUT B
- 8 VOLUME CONTROL FOR INPUT B AND MIC
- 9 AUDIO LINE & MICROPHONE SWITCH SELECTOR
- 10 AC INPUT
- 11 POWER SWITCH



# GA15P/GA12P PROFESSIONAL SERIES DESIGNED IN HOLLYWOOD HI DEFINITION SPEAKER





## FREQUENCY RESPONSE



## TECHNICAL DRAWINGS

### GA15P

### GA12P



FRONT VIEW

SIDE VIEW

FRONT VIEW

SIDE VIEW

ALL DIMENSIONS ARE IN MILLIMETERS AND INCHES.